



**WASHOZONE**


CLO-60/ CLO-80

## Skid-Mounted

### Coin Laundry Ozone Sanitation Systems

#### Overview

The CLO Series are turn-key, air-cooled, vacuum ultra violet (VUV) radiation type ozone/water contacting systems specifically designed for coin laundry. The system incorporates complete VUV type ozone generator, system operation & function indicating control panel, venturi ozone injector with circulation water pump, water backflow prevention device, PVC or SS contacting vessel with degas valve, epoxy powder coated mild steel cabinet with SS mounting legs and with the main function of water flow switch or timer remote control & the interface for ambient ozone safe monitor. The ozone destructor is optional. The CLO series systems produce ozone in 6g/hr or 8g/hr and with the ability to supply the reasonable quantities of coin washers.



#### Benefits

- Ozone is the most powerful oxidizer and disinfection that can be safely used in multiple industrial and commercial application
- Saving energy, water, labor saving
- Reduce chemical usage
- Reduce washing and drying time
- Improving disinfection
- Extending linen life
- Making the environment and linen fresh, cleaner & softer

#### Features

- Vacuum Ultra Violet (VUV) radiation Technologies
  - Full Integrated of ozone generation & contacting
  - Electrical and plumbing portions are isolated from each other
  - Equipped with hour meter to count the total working time
  - Ozone safety interlocks and ozone cell failure indicators
  - Built-in electromagnetic oil less air pumps
  - Pre-wired and pre-plumbed
  - Skid mounted with SS base
- Option:
- SS water circulation pump
  - Ozone Safe monitor (OSM)
  - Ozone Destructor
  - Dissolved ozone monitor/controller (ORP)


**WASHOZONE, LLC.**

**WASHOZONE**

Add: 220-20 Reservoir Street Needham, MA 02494

E-mail: [sales@washozone.com](mailto:sales@washozone.com) Web: [www.washozone.com](http://www.washozone.com)

PHONE: 781-445-808 FAX: 1-888-703-4114



## CLO-60/ CLO-80

**WASHOZONE**


Skid-Mounted

Coin Laundry Ozone Sanitation Systems

### Specifications

Items Model	Ozone Output g/hr	Water Treated Flow		Power ( Circulation pump not included)	Min/ Max Inlet Pressure	Water Inlet/Outlet Connection	Voltage and Ampere (Circulation pump included)
		m <sup>3</sup> @1.0ppm. App. dosage	m <sup>3</sup> @2.0ppm. App. dosage				
<b>CLO-60</b>	6g/hr	6.0m3/hr	3.0m3/hr	360w	15 / 45 psi	2.0 inch Inlet/outlet flange	120v,60Hz 12.5A Or 240v,50Hz 6.5A Single phase AC
<b>CLO-80</b>	8g/hr	8.0m3/hr	4.0m3/hr	400w			

### Dimension




**WASHOZONE, LLC.**

**WASHOZONE**

Add: 220-20 Reservoir Street Needham, MA 02494

E-mail: [sales@washozone.com](mailto:sales@washozone.com) Web: [www.washozone.com](http://www.washozone.com)

PHONE: 781-445-808 FAX: 1-888-703-4114




CLO-60/ CLO-80

**WASHOZONE**


Skid-Mounted

Coin Laundry Ozone Sanitation Systems

Inside View



Back View




**WASHOZONE, LLC.**

**WASHOZONE**

Add: 220-20 Reservoir Street Needham, MA 02494

E-mail: [sales@washozone.com](mailto:sales@washozone.com) Web: [www.washozone.com](http://www.washozone.com)

PHONE: 781-445-808 FAX: 1-888-703-4114




**WASHOZONE**

CLO-60/ CLO-80

Skid-Mounted

Coin Laundry Ozone Sanitation Systems

Typical Tankless Installation




**WASHOZONE,LL C.**

**WASHOZONE**

Add: 220-20 Reservoir Street Needham, MA 02494

E-mail: [sales@washozone.com](mailto:sales@washozone.com) Web: [www.washozone.com](http://www.washozone.com)

PHONE: 781-445-808 FAX: 1-888-703-4114




# WASHOZONE CLO-60/ CLO-80

## Skid-Mounted

### Coin Laundry Ozone Sanitation Systems

#### Typical Installation with storage tank and pump



**WASHOZONE,LL C.**



Add: 220-20 Reservoir Street Needham, MA 02494

E-mail: [sales@washozone.com](mailto:sales@washozone.com) Web: [www.washozone.com](http://www.washozone.com)

PHONE: 781-445-808 FAX: 1-888-703-4114



**WASHOZONE, LLC.**

Add: 220-20 Reservoir Street Needham, MA 02494

E-mail: [sales@washozone.com](mailto:sales@washozone.com) Web: [www.washozone.com](http://www.washozone.com)

PHONE: 781-445-808 FAX: 1-888-703-4114